UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/004,941	12/03/2001	Carlos De La Huerga	250591.90317	8257	
7590 04/09/2007 Michael A. Jaskolski Quarles & Brady, LLP				EXAMINER  COBANOGLU, DILEK B	
411 East Wisco Milwaukee, W			ART UNIT	PAPER NUMBER	
			3626		
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVER	DELIVERY MODE	
31 DAYS		04/09/2007	PAP	PAPER	

## Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<u></u>	Application No.	Applicant(s)			
	10/004,941	DE LA HUERGA, CARLOS			
Office Action Summary	Examiner	Art Unit			
	Dilek B. Cobanoglu	3626			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).					
Status	•				
1)⊠ Responsive to communication(s) filed on 30 No	ovember 2006.				
, ,	action is non-final.				
,					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-24,42-110,126-132,136-138,152,153 and 193-220</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6) Claim(s) is/are rejected.					
7) Claim(s) is/are objected to.	•	•			
8)⊠ Claim(s) <u>See Continuation Sheet</u> are subject to	restriction and/or election requir	ement.			
Application Papers					
9) The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> <li>Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate			

Continuation of Disposition of Claims: Claims subject to restriction and/or election requirement are 1-24,42-110,126-132,136-138,152,153 and 193-220.

## **DETAILED ACTION**

## Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - Claims 1-24, 152-153, 193-220, drawn to "method of associating medical devices with controllers", classified in class 235, subclass 385.
  - II. Claims 42-450, 66-70, drawn to "method of medications to administer to patients", classified in class 707, subclass 03.
  - III. Claims 51-55, 61-70, 126-128, drawn to "method of using a control regimen to control an infusion pump", classified in class 705, subclass 02.
  - IV. Claims 56-60, 102-105, drawn to "method of identifying authorized physicians for carrying out infusion processes", classified in class 235, subclass 382.
  - V. Claims 71-76, drawn to "method of controlling an infusion pump by use of a sensor", classified in class 604, subclass 67.
  - VI. Claims 77-101, drawn to "method of limiting infusion pump processes to specific patients", classified in class 707, subclass 09.
  - VII. Claims 106-110, 129-138, drawn to "method of scheduling processes to be performed by an infusion pump", classified in class 235, subclass 380.
- 2. Inventions I, II, III, IV, V, VI and VII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one

Application/Control Number: 10/004,941 Page 3

Art Unit: 3626

subcombination is separately usable. In the instant case, subcombination I, II, III, IV, V, VI, VII has separate utility such as "registers/inventory", "data processing: database and file management/query processing", "data processing/healthcare management", "registers/permitting access", "surgery/sensor control pump", "data processing/privileged access", "registers/identification card system". See MPEP § 806.05(d).

- 3. The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.
- 4. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions require a different field of search (see MPEP § 808.02), restriction for examination purposes as indicated is proper.
- 5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dilek B. Cobanoglu whose telephone number is 571-272-8295. The examiner can normally be reached on 8-4:30.

- 6. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Thomas can be reached on 571-272-6776. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 7. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

  Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DEC

DBC Art Unit 3626 03/30/2007

ALEXANDER KALINOWSKI SUPERVISORY PATENT EXAMINER